## PIFSC Report on the Logbook Program for the American Samoa Longline Fishery October-December 2010<sup>1</sup>

Fisheries Research and Monitoring Division Pacific Islands Fisheries Science Center

Summary statistics of American Samoa longline catch and effort for the fourth quarter of 2010, based on date of haul, are shown in Table 1. This table is derived from all federal logbook data submitted by American Samoa-based longline vessels as of March 9, 2011. The table entries reflect the vast majority of 2010 longline fishing effort for both large and small longline vessels, but exclude data for one known trip for which log sheets were not submitted. There were 25 active vessels in the fourth quarter of 2010, the same number as in the fourth quarter of 2009 (Fig. 1).

The 25 vessels that were active during the fourth quarter of 2010 made 1,203 sets and deployed 3,609,332 hooks. Compared with results for the fourth quarter of 2009, the number of sets decreased by 6% (Fig. 2) and the number of hooks used decreased by 10% (Fig. 3). The average number of hooks used per set decreased by 4%, from 3,120 to 3,000.

The total catch for all species combined was 81,343 fish, a decrease of 2% compared to the fourth quarter of 2009 (Fig. 4). Catches of both tuna and non-tuna species decreased, with the exception of yellowfin tuna, which increased by 40% (Fig. 8) and skipjack, which increased by 4% (Fig. 7). Albacore continued to dominate the catch with 55,282 fish caught in the fourth quarter of 2010. Albacore catch decreased by 1% (Fig. 5), while bigeye tuna catch declined by 52% from the fourth quarter of 2009 (Fig. 6). Catches of mahimahi decreased by 50% (Fig. 9), wahoo decreased by 17% (Fig.10), billfish decreased by 29% (Fig. 11), and shark catch declined by 22% (Fig. 12).

Since the total fish catch decreased by 2%, while the number of hooks used decreased by 10%, the overall catch per unit of effort (CPUE), measured in catch per 1000 hooks, increased. Compared to the fourth quarter of 2009, the CPUE for yellowfin, skipjack, and albacore tuna increased, while CPUE for bigeye tuna and all non-tuna species declined. Yellowfin tuna CPUE increased by 54% (Fig. 16), skipjack CPUE increased by 15% (Fig. 15), and albacore CPUE increased by 10% (Fig. 13). Decreases in CPUE occurred in bigeye tuna by 47% (Fig. 14), mahimahi by 43% (Fig. 17), billfish by 20% (Fig. 19), shark by 14% (Fig. 20), and wahoo by 8% (Fig. 18).

<sup>&</sup>lt;sup>1</sup> PIFSC Data Report DR-11-004. First issued 15 February 2011. Updated 25 April 2011.

Table 1. Summary of fish catch and nominal fishing effort by American Samoa Longline vessels during the fourth quarter of 2010 based on longline logbooks submitted before March 9, 2011.


## TRIP INFORMATION

Number of Vessels:25Number of Trips:73Number of Sets:1,2031000's of Hooks Set:3,609Number of Light Sticks236Used:

## **CATCH INFORMATION**


| Species                  | Number<br>Caught | Number<br>Kept | Number<br>Released | Number Caught per 1000 Hooks |
|--------------------------|------------------|----------------|--------------------|------------------------------|
| BILLFISH                 |                  |                |                    |                              |
| Black marlin             | 6                | 2              | 4                  | 0.00                         |
| Blue marlin              | 672              | 191            | 481                | 0.19                         |
| Striped marlin           | 104              | 12             | 92                 | 0.03                         |
| Sailfish                 | 61               | 14             | 47                 | 0.02                         |
| Spearfish                | 80               | 8              | 72                 | 0.02                         |
| Swordfish                | 87               | 51             | 36                 | 0.02                         |
| TOTAL BILLFISH           | 1,010            | 278            | 732                | 0.28                         |
| SHARKS                   |                  |                |                    |                              |
| Blue shark               | 738              | 8              | 730                | 0.20                         |
| Shortfin mako shark      | 118              | 2              | 116                | 0.03                         |
| Thresher shark           | 63               | 0              | 63                 | 0.02                         |
| White tip oceanic shark  | 117              | 0              | 117                | 0.03                         |
| Sharks (unknown)         | 74               | 0              | 74                 | 0.02                         |
| TOTAL SHARKS             | 1,110            | 10             | 1,100              | 0.31                         |
| TUNA                     |                  |                |                    |                              |
| Albacore tuna            | 55,282           | 54,972         | 310                | 15.32                        |
| Bigeye tuna              | 1,345            | 1,125          | 220                | 0.37                         |
| Bluefin tuna             | 32               | 19             | 13                 | 0.01                         |
| Skipjack tuna            | 10,598           | 7,325          | 3,273              | 2.94                         |
| Yellowfin tuna           | 4,745            | 4,345          | 400                | 1.31                         |
| TOTAL TUNA               | 72,002           | 67,786         | 4,216              | 19.95                        |
| OTHER PELAGICS           |                  |                |                    |                              |
| Mahimahi                 | 146              | 84             | 62                 | 0.04                         |
| Moonfish                 | 96               | 22             | 74                 | 0.03                         |
| Oilfish                  | 2,649            | 13             | 2,636              | 0.73                         |
| Pomfret                  | 122              | 47             | 75                 | 0.03                         |
| Wahoo                    | 3,935            | 2,897          | 1,038              | 1.09                         |
| TOTAL OTHER PELAGICS     | 6,948            | 3,063          | 3,885              | 1.93                         |
| NON-PMUS                 |                  |                |                    |                              |
| Pelagic fishes (unknown) | 273              | 4              | 269                | 0.08                         |
| TOTAL NON-PMUS           | 273              | 4              | 269                | 0.08                         |
| TOTAL ALL SPECIES        | 81,343           | 71,141         | 10,202             | 22.54                        |

Figure 1. American Samoa Longline Vessels Submitting Logs by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 23          | 24          | 25          | 25          |
| 2009          | 24          | 25          | 24          | 25          |
| 1997-2010 Max | 52          | 50          | 52          | 54          |
| 1997-2008 Avg | 25          | 26          | 30          | 29          |
| 1997-2010 Min | 12          | 13          | 16          | 17          |

Figure 2. Number of Sets by American Samoa Longline Vessels by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 756         | 1,098       | 1,439       | 1,203       |
| 2009          | 1,024       | 1,252       | 1,353       | 1,282       |
| 1997-2010 Max | 1,602       | 1,886       | 1,904       | 1,758       |
| 1997-2008 Avg | 804         | 991         | 1,179       | 1,209       |
| 1997-2010 Min | 297         | 439         | 424         | 402         |

Figure 3. Number of Hooks Set by the American Samoa Longline Fleet by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 2,187       | 3,113       | 4,158       | 3,609       |
| 2009          | 3,125       | 3,788       | 4,162       | 4,001       |
| 1997-2010 Max | 3,805       | 3,993       | 4,769       | 4,985       |
| 1997-2008 Avg | 1,649       | 2,100       | 2,480       | 2,558       |
| 1997-2010 Min | 147         | 192         | 198         | 175         |

Figure 4. American Samoa Longline Total Catch (All Species) by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 29,416      | 92,191      | 124,233     | 81,343      |
| 2009          | 43,026      | 88,705      | 108,384     | 82,846      |
| 1997-2010 Max | 79,567      | 142,603     | 153,301     | 130,238     |
| 1997-2008 Avg | 32,673      | 63,367      | 78,892      | 69,270      |
| 1997-2010 Min | 2,950       | 7,050       | 8.816       | 5,204       |

Figure 5. American Samoa Longline Albacore Catch by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 18,828      | 68,028      | 85,638      | 55,282      |
| 2009          | 31,680      | 62,186      | 73,400      | 55,833      |
| 1997-2010 Max | 50,382      | 118,994     | 113,831     | 89,389      |
| 1997-2008 Avg | 20,372      | 43,933      | 50,670      | 48,635      |
| 1997-2010 Min | 1,732       | 3,382       | 4,838       | 3,466       |

Figure 6. American Samoa Longline Bigeye Tuna Catch by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 633         | 3,875       | 4,566       | 1,345       |
| 2009          | 1,154       | 1,565       | 3,233       | 2,791       |
| 1997-2010 Max | 4,466       | 7,785       | 5,824       | 4,728       |
| 1997-2008 Avg | 1,347       | 2,153       | 2,498       | 1,979       |
| 1997-2010 Min | 48          | 97          | 123         | 55          |

Figure 7. American Samoa Longline Skipjack Tuna Catch by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 2,506       | 4,936       | 12,919      | 10,598      |
| 2009          | 1,383       | 7,882       | 15,081      | 10,188      |
| 1997-2010 Max | 9,809       | 14,606      | 27,234      | 31,191      |
| 1997-2008 Avg | 3,170       | 5,957       | 10,643      | 7,357       |
| 1997-2010 Min | 115         | 273         | 801         | 178         |

Figure 8. American Samoa Longline Yellowfin Tuna Catch by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 1,547       | 7,376       | 9,295       | 4,745       |
| 2009          | 2,357       | 6,666       | 4,111       | 3,407       |
| 1997-2010 Max | 7,428       | 14,681      | 20,993      | 7,104       |
| 1997-2008 Avg | 2,938       | 5,650       | 5,955       | 3,052       |
| 1997-2010 Min | 322         | 480         | 389         | 177         |

Figure 9. American Samoa Mahimahi Catch by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 131         | 311         | 1,367       | 146         |
| 2009          | 65          | 862         | 2,027       | 291         |
| 1997-2010 Max | 1,455       | 1,391       | 5,642       | 2,297       |
| 1997-2008 Avg | 325         | 586         | 1,766       | 647         |
| 1997-2010 Min | 55          | 183         | 280         | 146         |

Figure 10. American Samoa Wahoo Catch by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 2,441       | 2,810       | 4,220       | 3,935       |
| 2009          | 2,388       | 3,106       | 4,265       | 4,760       |
| 1997-2010 Max | 4,524       | 4,076       | 7,629       | 6,281       |
| 1997-2008 Avg | 1,978       | 1,737       | 3,253       | 3,242       |
| 1997-2010 Min | 123         | 215         | 255         | 210         |

Figure 11. American Samoa Billfish Catch by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 1,043       | 1,404       | 1,297       | 1,010       |
| 2009          | 1,326       | 1,934       | 1,409       | 1,417       |
| 1997-2010 Max | 1,692       | 1,934       | 1,729       | 1,819       |
| 1997-2008 Avg | 703         | 765         | 850         | 932         |
| 1997-2010 Min | 101         | 58          | 141         | 84          |

Figure 12. American Samoa Shark Catch by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 887         | 1,449       | 1,682       | 1,110       |
| 2009          | 1,039       | 1,777       | 1,721       | 1,431       |
| 1997-2010 Max | 2,262       | 3,562       | 3,686       | 2,695       |
| 1997-2008 Avg | 941         | 1,448       | 1,574       | 1,375       |
| 1997-2010 Min | 42          | 147         | 75          | 49          |

Figure 13. American Samoa Longline Albacore Catch per 1000 Hooks by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 8.61        | 21.85       | 20.60       | 15.32       |
| 2009          | 10.14       | 16.41       | 17.63       | 13.95       |
| 1997-2010 Max | 27.01       | 36.18       | 39.13       | 35.75       |
| 1997-2008 Avg | 13.09       | 20.43       | 20.63       | 21.29       |
| 1997-2010 Min | 6.58        | 14.09       | 12.96       | 10.54       |

Figure 14. American Samoa Longline Bigeye Tuna Catch per 1000 Hooks by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 0.29        | 1.24        | 1.10        | 0.37        |
| 2009          | 0.37        | 0.41        | 0.78        | 0.70        |
| 1997-2010 Max | 1.27        | 2.15        | 1.68        | 1.05        |
| 1997-2008 Avg | 0.65        | 0.87        | 0.84        | 0.66        |
| 1997-2010 Min | 0.26        | 0.41        | 0.48        | 0.29        |

Figure 15. American Samoa Longline Skipjack Tuna Catch per 1000 Hooks by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 1.15        | 1.59        | 3.11        | 2.94        |
| 2009          | 0.44        | 2.08        | 3.62        | 2.55        |
| 1997-2010 Max | 4.56        | 5.39        | 7.84        | 9.98        |
| 1997-2008 Avg | 1.69        | 2.55        | 4.12        | 2.82        |
| 1997-2010 Min | 0.44        | 1.26        | 1.56        | 0.79        |

Figure 16. American Samoa Yellowfin Tuna Catch per 1000 Hooks by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 0.71        | 2.37        | 2.24        | 1.31        |
| 2009          | 0.75        | 1.76        | 0.99        | 0.85        |
| 1997-2010 Max | 7.12        | 11.51       | 6.04        | 2.76        |
| 1997-2008 Avg | 2.06        | 3.67        | 2.41        | 1.28        |
| 1997-2010 Min | 0.66        | 1.34        | 0.92        | 0.55        |

Figure 17. American Samoa Longline Mahimahi Catch per 1000 Hooks by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 0.06        | 0.10        | 0.33        | 0.04        |
| 2009          | 0.02        | 0.23        | 0.49        | 0.07        |
| 1997-2010 Max | 1.30        | 1.25        | 2.08        | 1.93        |
| 1997-2008 Avg | 0.37        | 0.45        | 0.96        | 0.57        |
| 1997-2010 Min | 0.02        | 0.10        | 0.14        | 0.04        |

Figure 18. American Samoa Wahoo Catch per 1000 Hooks by Quarter for




|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 1.12        | 0.90        | 1.02        | 1.09        |
| 2009          | 0.76        | 0.82        | 1.02        | 1.19        |
| 1997-2010 Max | 1.71        | 1.62        | 2.20        | 1.83        |
| 1997-2008 Avg | 1.12        | 0.85        | 1.23        | 1.27        |
| 1997-2010 Min | 0.70        | 0.48        | 0.70        | 0.80        |

Figure 19. American Samoa Billfish Catch per 1000 Hooks by Quarter for



|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 0.48        | 0.45        | 0.31        | 0.28        |
| 2009          | 0.42        | 0.51        | 0.34        | 0.35        |
| 1997-2010 Max | 0.99        | 0.98        | 0.71        | 0.71        |
| 1997-2008 Avg | 0.48        | 0.42        | 0.39        | 0.43        |
| 1997-2010 Min | 0.25        | 0.26        | 0.27        | 0.28        |

Figure 20. American Samoa Shark Catch per 1000 Hooks by Quarter for



|               | 1st Quarter | 2nd Quarter | 3rd Quarter | 4th Quarter |
|---------------|-------------|-------------|-------------|-------------|
| 2010          | 0.41        | 0.47        | 0.40        | 0.31        |
| 2009          | 0.33        | 0.47        | 0.41        | 0.36        |
| 1997-2010 Max | 1.05        | 0.99        | 1.06        | 0.82        |
| 1997-2008 Avg | 0.47        | 0.64        | 0.55        | 0.52        |
| 1997-2010 Min | 0.16        | 0.31        | 0.38        | 0.22        |